









SECOND HAND MEDIUM/SMALL SCALE PLANT FOR CLASSY DECOR TERRACOTTA TILES PRODUCTION




ITEM n°	PICTURE	DESCRIPTION	
01		<p>BONGIOANNI box feeder mod 1 –D- 3B Belt composed by metal strips. Hopper useful dimensions 2300 x 600 x h 600 mm* Overall dimensions 2910 x 1440 x h 1500 mm* * Indicative dimension to be verified</p>	
02		<p>Conveyor belt “V” type , connecting the box feeder with the double shaft mixer , with belt useful dimension 8000 x L 900 mm * * Indicative dimension to be verified</p>	
04		<p>VICENTINI vibrating sieve mod. 500 x 300 RS with single net</p>	

08		<p>BEDESCHI double shaft mixer with filter mod. GD 60 with front filter grid with motorized opening – paddles \varnothing 400 mm *approx - complete with carter e 55 Kw electric motor.</p> <p>Modified with side exit of noodles by means of to hinged grids , in order to unloading it directly on the connection belt going to the mattoniera /extruder .</p> <p>The machine was installed on a concrete base .</p> <p>Overall dimension 4000 x 1300 x h 1150 mm*</p> <p>* Indicative dimension to be verified</p>	
09		<p>Conveyor belt “ V ” type (belt shape to be verified) with dimension l 3600 x L 900 mm*, to connect the double shaft mixer to the mattoniera / extruder</p> <p>* Indicative dimension to be verified</p>	
10		<p>BONGIOANNI Mattoniera Extruder mod 16 M , screw \varnothing 350 mm, complete with water vacuum pump with fibreglass tank and extrusion mouth with various die to produce several different shape and dimension , included special pieces.</p> <p>20 Hp electric motor with referral pulley to increase its performances (practically the motor gives a power similar to the one of a 50 Hp motor, with a consumption of a 20 Hp motor – carter and belts .</p> <p>Overall dimensions 4200 x 1300 x h 1800 mm*</p> <p>* Indicative dimension to be verified</p>	
11		<p>Special extrusion mouth to extrude tiles up to 500 mm* (bought NEW 2 years ago)</p> <p>* Indicative dimension to be verified</p>	L

12		<p>FREYMATIC automatic cutter for tiles/bricks/roof tiles – Cutting width 350 - 400 mm * Overall dimension 1900x 1200 x h 1300 mm* * Indicative dimension to be verified</p>	
13		<p>BEDESCHI motorized mechanical press mod PA-1 suitable for the production of roof tiles COPPO type , complete with one metal mould to produce the classical roof tile COPPO* type * Shape of roof tile indicatively as per picture</p>	

14		<p>VICENTINI hydraulic press , 30 Ton , suitable for the production of pressed tiles –10 HP motor , equipped with several metal moulds suitable to produce various shape and sizes of tiles</p>	
15		<p>PUTIN not motorized cutting machine mod TC, specific for to cut the roof tile COPPO type (the extruded material itself gives the motion to the cutting belt) Overall dimension 1500x 1200 x h 1500 mm* * Indicative dimension to be verified</p>	
16		<p>SAMS polishing and brushing machine for terracotta tiles with transport motorized belt width 600 mm* (several NEW spare abrasive paper belt) Overall dimension 1650x 3050 x h 2080 mm* * Indicative dimension to be verified</p>	
17		<p>Sleeve air de dusting filter to clean the air coming from the SAMS polishing and brushing machine with n° 32 sleeves \varnothing 200 x h 2750 mm* , complete with aspirator * Indicative dimension to be verified</p>	

19		<p>JOB FORNI turbo kiln – useful capacity 3 cm - max exercise temperature 1100 °C – internal insulation in ceramic fibre - reversed hood chimney type - complete with stainless steel heat exchanger for dryer and ambient – electric switchboard with microprocessor Pixsys type ATR 313 (the microprocessor have been supplied and substituted with a NEW one by us 1 year ago) – 2 motorized cars – n° 6 burners – natural gas burner feeding</p> <p>Useful loading dimension 1000 x 2400 x h 1250 mm* Overall dimension when installed 2300 x 4100 x h 2800 mm* without heat exchanger , h 3600 mm * with heat exchanger</p> <p>* Indicative dimension to be verified</p>	
20	<p style="text-align: center;">NO PICTURE</p>	<p>Conveyor belt “Flat “ type to load the ball clay into the mixer</p> <p>Useful belt dimension I 5500 x L 900 mm*</p> <p>* Indicative dimension to be verified</p>	

* All the above mentioned machines are SECOND HAND and are sold with “ AS IS ” formula , in any case working

** Dimensions and other above mentioned technical characteristics are purely indicative . In case they are binding for the customer they should be verified by him before the purchase .

EXAMPLE OF MATERIAL PRODUCT WITH THE PLANT

